


Symbol tables



Symbol tables are used to describe and analyse definitions and uses of identifiers.

Grammars are too weak; the language:

$$\{w\alpha w \mid w \in \Sigma^*\}$$

is not context-free.

A symbol table is a map from identifiers to meanings:


i	local	int
done	local	boolean
insert	method	...
List	class	...
x	formal	List
:	:	:

We must construct a symbol table for every program point.

Using symbol tables to analyse JOOS:


- which classes are defined;
- what is the inheritance hierarchy;
- is the hierarchy well-formed;
- which fields are defined;
- which methods are defined;
- what are the signatures of methods;
- are identifiers defined twice;
- are identifiers defined when used; and
- are identifiers used properly?

Static, nested scope rules:



The standard of modern languages.

Old-style one-pass technology:




Still haunts some languages:

```
void weedPROGRAM(PROGRAM *p);  
void weedCLASSFILE(CLASSFILE *c);  
void weedCLASS(CLASS *c);
```


Forward declarations enable recursion.

Use the most closely nested definition:



Identifiers at same level must be unique.

The symbol table behaves like a stack:



The symbol table can be implemented as a simple stack:

- `pushSymbol(SymbolTable *t, char *name, ...)`
- `popSymbol(SymbolTable *t)`
- `getSymbol(SymbolTable *t, char *name)`

But how do we detect multiple definitions of an identifier at the same level?

Use *bookmarks* and a *cactus stack*:

- `scopeSymbolTable(SymbolTable *t)`
- `putSymbol(SymbolTable *t, char *name, ...)`
- `unscopeSymbolTable(SymbolTable *t)`
- `getSymbol(SymbolTable *t, char *name)`

Still just linear search, though.

Implement symbol tables as a cactus stack of *hash tables*:

- each hash table contains the identifiers in a level;
- push a new hash table when a level is entered;
- each identifier is entered in the top hash table;
- it is an error if it is already there;
- a use of an identifier is looked up in the hash tables from top to bottom;
- it is an error if it is not found;
- pop a hash table when a level is left.

What is a good hash function on identifiers?

Use the initial letter:

- codePROGRAM, codeMETHOD, codeEXP, ...


Use the sum of the letters:

- doesn't distinguish letter order

Use the shifted sum of the letters:


"j" = 106 = 0000000001101010
shift 0000000011010100
+ "o" = 111 = 0000000001101111
= 0000000101000011
shift 0000001010000110
+ "o" = 111 = 0000000001101111
= 0000001011110101
shift 0000010111101010
+ "s" = 115 = 0000000001110011
= 0000011001011101
= 1629

Hash tables for the JOOS source code:




hash = *str;

Hash tables for the JOOS source code:



```
while (*str) hash = hash + *str++;
```



```
while (*str) hash = (hash << 1) + *str++;
```

```
$ cat symbol.h      # data structure definitions

#define HashSize 317

typedef struct SymbolTable {
    SYMBOL *table[HashSize];
    struct SymbolTable *next;
} SymbolTable;

$ cat symbol.c      # data structure operations

int Hash(char *str)
{ unsigned int hash = 0;
    while (*str) hash = (hash << 1) + *str++;
    return hash % HashSize;
}

SymbolTable *initSymbolTable()
{ SymbolTable *t;
    int i;
    t = NEW(SymbolTable);
    for (i=0; i < HashSize; i++) t->table[i] = NULL;
    t->next = NULL;
    return t;
}

SymbolTable *scopeSymbolTable(SymbolTable *s)
{ SymbolTable *t;
    t = initSymbolTable();
    t->next = s;
    return t;
}
```

```
SYMBOL *putSymbol(SymbolTable *t, char *name,
                   SymbolKind kind)
{ int i = Hash(name);
  SYMBOL *s;
  for (s = t->table[i]; s; s = s->next) {
    if (strcmp(s->name, name)==0) return s;
  }
  s = NEW(SYMBOL);
  s->name = name;
  s->kind = kind;
  s->next = t->table[i];
  t->table[i] = s;
  return s;
}

SYMBOL *getSymbol(SymbolTable *t, char *name)
{ int i = Hash(name);
  SYMBOL *s;
  for (s = t->table[i]; s; s = s->next) {
    if (strcmp(s->name, name)==0) return s;
  }
  if (t->next==NULL) return NULL;
  return getSymbol(t->next, name);
}

int defSymbol(SymbolTable *t, char *name)
{ int i = Hash(name);
  SYMBOL *s;
  for (s = t->table[i]; s; s = s->next) {
    if (strcmp(s->name, name)==0) return 1;
  }
  return 0;
}
```

How to handle mutual recursion:

A

...B...

B

...A...

A single traversal of the abstract syntax tree is not enough.

Make two traversals:

- collect definitions of identifiers; and
- analyse uses of identifiers.

For cases like recursive types, the definition is not completed before the second traversal.

Symbol information in JOOS:

```
$ cat tree.h

[...]

typedef enum{classSym,fieldSym,methodSym,
             formalSym,localSym} SymbolKind;

typedef struct SYMBOL {
    char *name;
    SymbolKind kind;
    union {
        struct CLASS *classS;
        struct FIELD *fieldS;
        struct METHOD *methodS;
        struct FORMAL *formalS;
        struct LOCAL *locals;
    } val;
    struct SYMBOL *next;
} SYMBOL;


[...]
```

The information refers to abstract syntax tree nodes.

Symbol tables are weaved together with abstract syntax trees:

```
public class B extends A {
    protected A a;
    protected B b;

    public void m(A x, B y) {
        this.m(a,b);
    }
}
```



Complicated recursion in JOOS is resolved through multiple passes:

```
$ cat symbol.c  
[...]  
  
void symPROGRAM(PROGRAM *p)  
{ classlib = initSymbolTable();  
    symInterfacePROGRAM(p, classlib);  
    symInterfaceTypesPROGRAM(p, classlib);  
    symImplementationPROGRAM(p);  
}  
[...]
```

Each pass goes into further detail:

- **symInterfacePROGRAM:**
define classes and their interfaces;
- **symInterfaceTypesPROGRAM:**
build hierarchy and analyse interface types;
and
- **symImplementationPROGRAM:**
define locals and analyse method bodies.

Defining a JOOS class:

```
void symInterfaceCLASS(CLASS *c, SymbolTable *sym)
{ SYMBOL *s;
  if (defSymbol(sym,c->name)) {
    reportStrError("class name %s already defined",
                   c->name,c->lineno);
  } else {
    s = putSymbol(sym,c->name,classSym);
    s->val.classS = c;
    c->localsym = initSymbolTable();
    symInterfaceFIELD(c->fields,c->localsym);
    symInterfaceCONSTRUCTOR(c->constructors,
                            c->name,c->localsym);
    symInterfaceMETHOD(c->methods,c->localsym);
  }
}
```

Defining a JOOS method:

```
void symInterfaceMETHOD(METHOD *m, SymbolTable *sym)
{ SYMBOL *s;
  if (m!=NULL) {
    symInterfaceMETHOD(m->next,sym);
    if (defSymbol(sym,m->name)) {
      reportStrError("method name %s already defined",
                     m->name,m->lineno);
    } else {
      s = putSymbol(sym,m->name,methodSym);
      s->val.methodS = m;
    }
  }
}
```

and its signature:

```
void symInterfaceTypesMETHOD(METHOD *m, SymbolTable *sym)
{ if (m!=NULL) {
  symInterfaceTypesMETHOD(m->next,sym);
  symTYPE(m->returntype,sym);
  symInterfaceTypesFORMAL(m->formals,sym);
}
```

Analysing a JOOS class implementation:

```
void symImplementationCLASS(CLASS *c)
{ SymbolTable *sym;
  sym = scopeSymbolTable(classlib);
  symImplementationFIELD(c->fields,sym);
  symImplementationCONSTRUCTOR(c->constructors,c,sym);
  symImplementationMETHOD(c->methods,c,sym);
}
```

Analysing a JOOS method implementation:

Analysing JOOS statements:

```
void symImplementationSTATEMENT(STATEMENT *s, CLASS *this,
                                 SymbolTable *sym, int stat)
{ SymbolTable *ssym;
  if (s!=NULL) {
    switch (s->kind) {

      [...]

      case localK:
        symImplementationLOCAL(s->val.locals,sym);
        break;

      [...]

      case blockK:
        ssym = scopeSymbolTable(sym);
        symImplementationSTATEMENT(s->val.blocks.body,
                                    this,ssym,stat);
        break;

      [...]
    }
  }
}
```

Analysing JOOS local declarations:

```
void symImplementationLOCAL(LOCAL *l, SymbolTable *sym)
{ SYMBOL *s;
  if (l!=NULL) {
    symImplementationLOCAL(l->next,sym);
    symTYPE(l->type,sym);
    if (defSymbol(sym,l->name)) {
      reportStrError("local %s already declared",
                     l->name,l->lineno);
    } else {
      s = putSymbol(sym,l->name,localSym);
      s->val.locals = l;
    }
  }
}
```

Identifier lookup in the JOOS class hierarchy:

```
SYMBOL *lookupHierarchy(char *name, CLASS *start)
{ SYMBOL *s;
  if (start==NULL) return NULL;
  s = getSymbol(start->localsym,name);
  if (s!=NULL) return s;
  if (start->parent==NULL) return NULL;
  return lookupHierarchy(name,start->parent);
}

CLASS *lookupHierarchyClass(char *name, CLASS *start)
{ SYMBOL *s;
  if (start==NULL) return NULL;
  s = getSymbol(start->localsym,name);
  if (s!=NULL) return start;
  if (start->parent==NULL) return NULL;
  return lookupHierarchyClass(name,start->parent);
}
```

For which class do we return NULL on line 5 of each function?

Analysing expressions:

```
void symImplementationEXP(EXP *e, CLASS *this,
                           SymbolTable *sym, int stat)
{ switch (e->kind) {
    case idK:
        e->val.idE.idsym = symVar(e->val.idE.name,sym,
                                     this,e->lineno,stat);
        break;
    case assignK:
        e->val.assignE.leftsym =
            symVar(e->val.assignE.left,sym,
                   this,e->lineno,stat);
        symImplementationEXP(e->val.assignE.right,
                             this,sym,stat);
        break;

    [...]
}
}
```

Analysing an identifier:

```
SYMBOL *symVar(char *name, SymbolTable *sym,
                 CLASS *this, int lineno, int stat)
{ SYMBOL *s;
  s = getSymbol(sym, name);
  if (s==NULL) {
    s = lookupHierarchy(name, this);
    if (s==NULL) {
      reportStrError("identifier %s not declared",
                     name, lineno);
    } else {
      if (s->kind!=fieldSym)
        reportStrError(
          "%s is not a variable as expected",
          name, lineno); }
  } else {
    if ((s->kind!=fieldSym) && (s->kind!=formalSym) &&
        (s->kind!=localSym))
      reportStrError("%s is not a variable as expected",
                     name, lineno);
  }
  if (s!=NULL && s->kind==fieldSym && stat)
    reportStrError("illegal static reference to %s",
                   name, lineno);
  return s;
}
```

The testing strategy for the symbol tables involves an extension of the pretty printer.

A textual representation of the symbol table is printed once for every scope area.

- In Java, use `toString()`.

These tables are then compared to a corresponding manual construction for a sufficient collection of programs.

Furthermore, every error message should be provoked by some test program.