

## Context-free languages II

Thursday, February 18, 2021 11:45 AM

Closure properties:

- (1) If  $L_1, L_2$  are CFL then  $L_1 \cup L_2$  is a CFL
- (2) If  $L_1, L_2$  are CFL then so is  $L_1 \circ L_2$ .
- (3) If  $L$  is a CFL then so is  $L^*$

PROOFS

$$(1) \quad G_1 = (V_1, T_1, S_1, \dots) \quad L_1 = L(G_1)$$

$$G_2 = (V_2, T_2, S_2, \dots) \quad L_2 = L(G_2)$$

For  $L_1 \cup L_2$  we just take the union of  $T_1$  and  $T_2$ ,  $V_1$  and  $V_2$ , new start symbol

$$S \text{ \& add the rules } S \rightarrow S_1 \mid S_2$$

same thing as  $\begin{cases} S \rightarrow S_1 \\ S \rightarrow S_2 \end{cases}$

$$(2) \quad S \rightarrow S_1 S_2$$

(3) New start symbol  $S'$  and new rules  $S' \rightarrow S S' \mid \epsilon$

## NON-RESULTS

- (i) The complement of a CFL may  
not be a CFL.
- (ii) The intersection of 2 CFLs may  
not be a CFL.

If  $L$  is a CFL and  $R$  is a regular language then  $L \cap R$  is context free.

EXAMPLES of CFG design:

Two techniques: (i) use recursion

(ii) use matching

$$(1) \quad \Sigma = \{a, b\}$$

$$L = \{a^n b^{2n} \mid n \geq 0\}$$

Each  $a$  is matched with 2  $b$ 's.

$$S \rightarrow a S b b \mid \epsilon$$

$$(2) \quad L = \{x \in \Sigma^* \mid x = x^{REV}\}$$


$x^{REV}$  means  $x$  written backwards

$$(abaa)^{REV} = aaba \notin L$$

$$(abba)^{REV} = abba \in L$$

PALINDROME


MADAM I'M ADAM



$$S \rightarrow a S a \mid b S b \mid a \mid b \mid \epsilon$$

(3)  $\Sigma = \{a, b, c\}$

$$L = \{ a^{i+j} b^{d+k} c^{i+k} \mid i, j, k \geq 0 \}$$



$$S \rightarrow a S c \mid A B \mid \epsilon$$

$$A \rightarrow a A b \mid \epsilon$$

$$B \rightarrow b B c \mid \epsilon$$

EXAMPLES based on find self-similar structures

(4)  $\Sigma = \{a, b\}$

... \* 1 ... of  $x$  has

$L = \{x \in \Sigma^* \mid \text{each prefix of } x \text{ has at least as many a's as b's}\}$

aaabab ✓  
 )a)a)b)b)a a ✗  
 ✗

$x \in L$  could be  $\epsilon$

If  $x \in L$  and  $x \neq \epsilon$  what is the first letter of  $x$ ?

It has to be an a

So  $x = ay$

Now  $y$  may or may not be in  $L$ .

- If  $y$  is in  $L$  we can handle this case with  $S \rightarrow aS$
- If  $y$  is not in  $L$ , some prefix of  $y$  has more b's than a's.

Let  $u$  be the shortest prefix with this property.  $u$  will have 1 more b than # of a's. So  $u = w b$  so  $y = w b v$

Now  $x = a w b v$  is in  $L$  so

$a w b$  has as many a's as b's

$v$  must satisfy the property as well.

Thus  $w, v$  are both in  $L$ .

$S \rightarrow a S b S$   
 $\downarrow \quad \downarrow$   
 $w \quad v$

$\epsilon \rightarrow a S b S$

$$\cup \rightarrow \varepsilon \mid u \cup \mid -$$

(5)  $L = \{x \in \Sigma^* \mid x \text{ has equal \# of } a\text{'s and } b\text{'s}\}$

e.g.  $bbbaaaab \in L$

$aba \notin L$

$d(x) := \#_b(x) - \#_a(x)$

$L = \{x \mid d(x) = 0\}$

Suppose  $x \in L, x \neq \varepsilon$  non-empty

let  $u$  be the shortest prefix of  $x$  s.t.

$u \in L$

e.g.  $\underbrace{bb} \underbrace{aa} \underbrace{ab}$   
 $\underbrace{\hspace{2em}}_u \underbrace{\hspace{2em}}_x$

$d(u) = 0$

Suppose  $u$  starts with  $b$ , then it must end with  $a$ . [WHY?]

$u = b \underbrace{v} a$

$\hookrightarrow$  this must be balanced

so  $d(v) = 0$

$x = u z$

if  $d(x) = 0$  and  $d(u) = 0$

then  $d(z) = 0$

$x = a \underbrace{v} b z \quad v \in L$

$$u - u \dot{=} - \emptyset \quad v, \gamma = \_$$

$$S \rightarrow a S b S$$

similarly we reason in the opposite case

$$S \rightarrow b S a S$$

our complete grammar is

$$S \rightarrow a S b S \mid b S a S \mid \epsilon$$

another valid but different grammar for the same language:

$$S \rightarrow a S b \mid b S a \mid S S \mid \epsilon$$


---

ALG Given a CFG  $G$  how do I know if it generates anything?

Given  $G$  is  $L(G) = \emptyset$ ?

Given a CFG we say  $X \in V$  is generating if  $X \xrightarrow{*} w \in \Sigma^*$

$\xrightarrow{*}$  produces after possibly several steps.

FACT  $L(G) \neq \emptyset$  iff  $S$  is generating.

We will consider all terminal symbols to be generating.

$GEN$ : Set of all generating symbols.

Put all terminal symbols in  $GEN$ .

Do until  $GEN$  does not change anymore:

{ For each rule  $X \rightarrow \alpha$  verify if  
every symbol in  $\alpha$  is in  $GEN$   
already. If so add  $X$  to  $GEN$ .

Check if  $S \in GEN$ .

EXAMPLE

$S \rightarrow AB | a \quad A \rightarrow b$

$GEN_0 = \{a, b\}$

$GEN_1 = \{S, a, b, A\}$  STOP.

YES  $L(G) \neq \emptyset$

$B \notin GEN$  so any rules with  $B$  in the  
RHS should be removed.

$S \rightarrow a \quad A \rightarrow \cancel{B}$

Key  $A$  is unreachable.

$S \rightarrow a$

$L(G) = \{a\}$

If  $X \rightarrow \epsilon$  you mark  $X \in GEN$ .